



1 / 34




FIG. 1

2/34




FIG. 2

3/34




FIG. 2A CONTINUATION

4/34




FIG. 2B CONTINUATION

5/34




FIG. 2C CONTINUATION

6/34




FIG. 3

7/34




FIG. 3A CONTINUATION

8/34





FIG. 3B CONTINUATION

9/34




FIG. 3C CONTINUATION

10/34




FIG. 3D CONTINUATION

11/34




FIG. 3E
CONTINUATION

12/34




FIG. 3F
CONTINUATION

13/34




FIG. 3G CONTINUATION

14/34




FIG. 4

15/34






FIG. 4A CONTINUATION

16/34





FIG. 4B CONTINUATION

interface PublicationStatusFactory
+getPublicationStatii:List +getPublicationStatus:PublicationStatus +createNewPublicationStatus:PublicationStatus +savePublicationStatus:void +deletePublicationStatus:void
publicationStatii:Set

interface ItemTypeFactory
+getItemType:ItemType +getItemType:ItemType +createNewItemType:ItemType +saveItemType:void +deleteItemType:void
itemTypes:Set

interface RelationTypeFactory
+getRelationTypes:Set +getRelationType:RelationType +getRelationType:RelationType +relationshipPermitted:boolean

ValueFields
+toString:String value:String fields:Collection

FIG. 4C CONTINUATION

18/34






FIG. 4D CONTINUATION

19/34






FIG. 4E CONTINUATION

20/34





FIG. 4F CONTINUATION

21/34






FIG. 4G CONTINUATION

22/34




FIG. 5

23/34






FIG. 5A CONTINUATION

24/34







FIG. 5B CONTINUATION

25/34






FIG. 5C CONTINUATION

26/34




FIG. 6

27/34




FIG. 6A CONTINUATION

28/34




FIG. 6B CONTINUATION

29/34




FIG. 7

30/34




FIG. 7A CONTINUATION

31/34





FIG. 7B CONTINUATION

32/34



- 1 - service requests content
- 2 - CMS driver determines how to get the content according to itemtype
- 3 - CMS instructs content factory to attempt to construct the item, factory will determine whether the content is already in the cache or not
- 4 - constructed item is available
- 5 - service processes the requested content

FIG. 8

33/34




FIG. 8A CONTINUATION

FIG. 8B CONTINUATION

